

SAFETY DATA SHEET

G-5022

Date of issue: Oct. 31, 2016 Revision date: Oct. 28, 2022 Version: R0004.0000

1. IDENTIFICATION

A. Product name

- G-5022

B. Recommended use and restriction on use

- General use : Epoxy hardener- Restriction on use : Not available

C. Manufacturer / Supplier / Distributor information

o Manufacturer information

- Company name : KUKDO Chemical Co., Ltd.

- Address : 61, Gasandigital 2-ro, Gumcheon gu, Seoul, Korea

- Dept. : Hardener Business Department

- Telephone number : +82-2-3282-1379
- Emergency telephone number : +82-2-3282-1379
- Fax number : +82-2-3282-1422
- E-mail address : hardenerbiz@kukdo.com

$\circ \ Supplier/Distributer\ information$

- Company name : KUKDO Chemical Co., Ltd.

- Address : 61, Gasandigital 2-ro, Gumcheon gu, Seoul, Korea

- Dept. : Hardener Business Department

- Telephone number : +82-2-3282-1379
- Emergency telephone number : +82-2-3282-1379
- Fax number : +82-2-3282-1422
- E-mail address : hardenerbiz@kukdo.com

2. HAZARD IDENTIFICATION

A. GHS Classification

- Skin corrosion/irritation : Category2- Serious eye damage/irritation : Category1

- Skin sensitization : Category1- Chronic aquatic toxicity : Category2

B. GHS label elements

o Hazard symbols







o Signal words

- Danger

o Hazard statements

- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H411 Toxic to aquatic life with long lasting effects

o Precautionary statements

1) Prevention

- P261 Avoid breathing gas/mist/vapours/spray.
- P264 Wash hands thoroughly after handling.
- P272 Contaminated work clothing should not be allowed out of the workplace.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.

2) Response

- P302+P352 IF ON SKIN: Wash with plenty of soap and water.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER or doctor/physician.
- P321 Specific treatment
- P332+P313 If skin irritation occurs: Get medical advice/attention.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P362 Take off contaminated clothing and wash before reuse.
- P363 Wash contaminated clothing before reuse.
- P391 Collect spillage.

3) Storage

- Not applicable

4) Disposal

- P501 Dispose of contents/container in accordance with local/regional/national/international regulation

C. Other hazards which do not result in classification: (NFPA Classification)

\circ NFPA grade (0 ~ 4 level)

- Health: 3, Flammability: 1, Reactivity: 0

3. COMPOSITION/INFORMATION ON INGREDIENTS					
Chemical Name	Trade names and Synonyms	CAS No.	Content(%)		
Fatty acids, (C=18)-unsatd., dimers polymers with tall oil fatty acids and triethylenetetramine	-	68082-29-1	>99		
1,2-Ethanediamine, N,N'-bis(2-aminoethyl)-	-	112-24-3	<1		

4. FIRST AID MEASURES

A. Eye contact

- Do not rub your eyes.
- Immediately flush eyes with plenty of water for at least 15minutes and call a doctor/physician.
- Get medical attention immediately.
- Remove contact lenses if worn.

B. Skin contact

- Flush skin with plenty of wter for at least 15 minutes while removing contaminated clothing and shoes.
- Laundering enough contaminated clothing before reuse.
- Go to the hospital immediately if symptoms(flare, irritate) occur.
- Wash thoroughly after handling.

C. Inhalation contact

- When exposed to large amounts of steam and mist, move to fresh air.
- Take specific treatment if needed.

D. Ingestion contact

- About whether I should induce vomiting Take the advice of a doctor.
- Rinse your mouth with water immediately.

E. Delayed and immediate effects and also chronic effects from short and long term exposure

- Not available

F. Notes to physician

- Notify medical personnel of contaminated situations and have them take appropriate protective measures.

A. Suitable (Unsuitable) extinguishing media

- Dry chemical, carbon dioxide, regular foam extinguishing agent, spray
- Avoid use of water jet for extinguishing

B. Specific hazards arising from the chemical

- Not available

C. Special protective actions for firefighters

- Move containers from fire area, if you can do without the risk.
- Cool containers with water until well after fire is out.
- Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank.
- Notify your local firestation and inform the location of the fire and characteristics hazard.
- Using a unattended and water devices in case of large fire and leave alone to burn if you do not imperative.
- Keep containers cool with water spray.
- Vapor or gas is burned at distant ignition sources can be spread quickly.

6. ACCIDENTAL RELEASE MEASURES

A. Personal precautions, protective equipment and emergency procedures

- Ventilate closed spaces before entering.
- Must work against the wind, let the upwind people to evacuate.
- Remove all sources of ignition.
- Do not direct water at spill or source of leak.
- Avoid skin contact and inhalation.

B. Environmental precautions

- Prevent runoff and contact with waterways, drains or sewers.
- If large amounts have been spilled, inform the relevant authorities.

C. Methods and materials for containment and cleaning up

- Large spill: Stay upwind and keep out of low areas. Dike for later disposal.
- Notification to central government, local government. When emissions at least of the standard amount
- Dispose of waste in accordance with local regulation.
- Appropriate container for disposal of spilled material collected.
- Small leak: sand or other non-combustible material, please let use absorption.
- Wipe off the solvent.
- Dike for later disposal.
- Prevent the influx to waterways, sewers, basements or confined spaces.

7. HANDLING AND STORAGE

A. Precautions for safe handling

- Since emptied containers retain product residue(vapor, liquid, solid) follow all MSDS and label warnings even after container is emptied.
- Refer to Engineering controls and personal protective equipment.
- Do not handle until all safety precautions have been read and understood.
- Operators should wear antistatic footwear and clothing.
- Do not inhale the steam prolonged or repeated.

B. Conditions for safe storage, including any incompatibilities

- Do not use damaged containers.
- Do not apply direct heat.
- Do not apply any physical shock to container.
- No open fire.
- Prevent static electricity and keep away from combustible materials or heat sources.
- Collected them in sealed containers.
- Store away from water and sewer.

A. Exposure limits

- o ACGIH TLV
 - Not available
- OSHA PEL
 - Not available

B. Engineering controls

- A system of local and/or general exhaust is recommended to keep employee exposures above the Exposure Limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. The use of local exhaust ventilation is recommended to control emissions near the source.

C. Individual protection measures, such as personal protective equipment

o Respiratory protection

- Under conditions of frequent use or heavy exposure, Respiratory protection may be needed.
- Respiratory protection is ranked in order from minimum to maximum.
- Consider warning properties before use.
- Any chemical cartridge respirator with organic vapor cartridge(s).
- Any chemical cartridge respirator with a full facepiece and organic vaporcartridge(s).
- Any air-purifying respirator with a full facepiece and an organic vapor canister.
- For Unknown Concentration or Immediately Dangerous to Life or Health: Any supplied-air respirator with full facepiece and operated in a pressure-demand or other positive-pressure mode in combination with a separate escape supply. Any self-contained breathing apparatus with a full facepiece.

o Eye protection

- Wear primary eye protection such as splash resistant safety goggles with a secondary protection face shield.
- Provide an emergency eye wash station and quick drench shower in the immediate work area.

o Hand protection

- Wear appropriate glove.

o Skin protection

- Wear appropriate clothing.

o Others

- Not available

9. PHYSICAL AND CHEMICAL PROPERTIES		
A. Appearance		
- Appearance	Liquid	
- Color	Brown	
B. Odor	Irritating odor	
C. Odor threshold	Not available	
D. pH	Not available	
E. Melting point/Freezing point	Not available	
F. Initial Boiling Point/Boiling Ranges	Not available	
G. Flash point	> 260 °C	
H. Evaporation rate	Not available	
I. Flammability(solid, gas)	Not available	
J. Upper/Lower Flammability or explosive limits	Not available	
K. Vapour pressure	Not available	
L. Solubility	Insoluble in water	
M. Vapour density	Not available	
N. Specific gravity(Relative density)	0.97	
O. Partition coefficient of n-octanol/water	Not available	
P. Autoignition temperature	Not available	
Q. Decomposition temperature	Not available	
R. Viscosity	50,000-70,000cps (40°C)	
S. Molecular weight	Not available	

10. STABILITY AND REACTIVITY

A. Chemical Stability

- This material is stable under recommended storage and handling conditions.

B. Possibility of hazardous reactions

- Hazardous Polymerization will not occur.

C. Conditions to avoid

- Avoid contact with incompatible materials and condition.
- Avoid : Accumulation of electrostatic charges, Heating, Flames and hot surfaces

D. Incompatible materials

- Not available

E. Hazardous decomposition products

- May emit flammable vapour if involved in fire.

11. TOXICOLOGICAL INFORMATION

A. Information on the likely routes of exposure

- o (Respiratory tracts)
 - Not available
- o (Oral)
 - Not available
- (Eye·Skin)
 - Causes serious eye damage
 - Causes skin irritation
 - May cause an allergic skin reaction

B. Delayed and immediate effects and also chronic effects from short and long term exposure

- o Acute toxicity
 - * Oral ATE MIX: 2000mg/kg < ATEmix
 - [1,2-Ethanediamine, N,N'-bis(2-aminoethyl)-]: LD50 = 2500 mg/kg Rat (PATTY, 5th (2001), SIDS (1998)
 - * Dermal ATE MIX : 2000mg/kg < ATEmix
 - [1,2-Ethanediamine, N,N'-bis(2-aminoethyl)-]: LD50 = 805 mg/kg Rabbit (PATTY, 5th (2001), SIDS (1998)
 - * Inhalation ATE MIX : Not available
 - Not available
- ${\tt \circ Skin\ corrosion/irritation}$
 - Causes skin irritation
- o Serious eye damage/irritation
 - Causes serious eye damage
- $\circ \ Respiratory \ sensitization$
 - Not available
- o Skin sensitization
 - May cause an allergic skin reaction
- $\circ \ Carcinogenicity$
 - * IARC
 - Not available
 - * OSHA
 - Not available
 - * ACGIH
 - Not available
 - * NTP
 - Not available
 - * EU CLP
 - Not available
- o Germ cell mutagenicity
 - Not available
- Reproductive toxicity
 - Not available
- o STOT-single exposure
 - Not available
- o STOT-repeated exposure
 - Not available
- o Aspiration hazard

- Not available

12. ECOLOGICAL INFORMATION

A. Ecotoxicity

- o Fish
 - Not available
- o Crustaceans
 - Not available
- o Algae
 - Not available

B. Persistence and degradability

- o Persistence
 - Not available
- o Degradability
 - Not available

C. Bioaccumulative potential

- o Bioaccumulative potential
 - Not available
- o Biodegration
 - Not available

D. Mobility in soil

- Not available

E. Other adverse effects

- Not available

13. DISPOSAL CONSIDERATIONS

A. Disposal methods

- Since more than two kinds of designaed waste is mixed, it is difficult to treat seperatly, then can be reduction or stabilization by incineration or similar process.
- If water separation is possible, pre-process with Water separation process.
- Dispose by incineration.

B. Special precautions for disposal

- The user of this product must disposal by oneself or entrust to waste disposer or person who other's waste recycle and dispose, person who establish and operate waste disposal facilities.
- Dispose of waste in accordance with all applicable laws and regulations.

14. TRANSPORT INFORMATION

A. UN No. (IMDG CODE/IATA DGR)

- 3082

B. Proper shipping name

 $- \, ENVIRONMENTALLY \, HAZARDOUS \, SUBSTANCES, \, LIQUID, \, N.O.S. \, (Fatty \, acids, \, (C=18) - unsatd., \, dimers \, polymers \, with \, tall \, oil \, fatty \, acids \, and \, triethylenetetramine)$

C. Hazard Class

- 9

D. IMDG CODE/IATA DGR Packing group

- III

E. Marine pollutant

- Applicable

F. Special precautions for user related to transport or transportation measures

- Local transport follows in accordance with Dangerous goods Safety Management Law.
- Package and transport follow in accordance with Department of Transportation (DOT) and other regulatory agency requirements.
- EmS FIRE SCHEDULE : F-A (General fire schedule)
- EmS SPILLAGE SCHEDULE : S-F (Water-soluble marine pollutants)

15. REGULATORY INFORMATION

A. National and/or international regulatory information

o POPs Management Law

- Not applicable
- o Information of EU Classification
 - * Classification
 - [1,2-Ethanediamine, N,N'-bis(2-aminoethyl)-]: Xn; R21 C; R34 R43 R52-53
 - * Risk Phrases
 - [1,2-Ethanediamine, N,N'-bis(2-aminoethyl)-]: R21, R34, R43, R52/53
 - * Safety Phrase
 - [1,2-Ethanediamine, N,N'-bis(2-aminoethyl)-]: S1/2, S26, S36/37/39, S45, S61
- o U.S. Federal regulations
 - * OSHA PROCESS SAFETY (29CFR1910.119)
 - Not applicable
 - * CERCLA Section 103 (40CFR302.4)
 - Not applicable
 - * EPCRA Section 302 (40CFR355.30)
 - Not applicable
 - * EPCRA Section 304 (40CFR355.40)
 - Not applicable
 - * EPCRA Section 313 (40CFR372.65)
 - Not applicable
- $\circ \ \textbf{Rotterdam Convention listed ingredients}$
 - Not applicable
- ${\small \circ}\ Stockholm\ Convention\ listed\ ingredients \\$
 - Not applicable
- o Montreal Protocol listed ingredients
 - Not applicable

O List of substance

Cas No.	68082-29-1	112-24-3
Korea (KECL)	KE-16791	KE-02911
USA (TSCA)	Listed	Listed
EU	500-191-5	203-950-6
Japan (MITI/ENCS)	7-1316	2-163
China (IECSC)	Listed	Listed
Canada (DSL/NDSL)	DSL	DSL
Australia (AICS)	Listed	Listed

16. OTHER INFORMATION

A. Reference

- The information contained herein is believed to be accurate. It is provided independently of any sale of the product for purpose of hazard communication. It is not intended to constitute performance information concerning the product. No express warranty, or implied warranty of merchantability or fitness for a particular purpose is made with respect to the product or the information contained herein.
- This Safety Data Sheet was compiled with data and information from the following sources: KOSHA, NITE, ESIS, NLM, SIDS, IPCS

B. Issue date

- Oct. 31, 2016

C. Revision number and Last date revised

- 4 time, Oct. 28, 2022

D. Other

- This SDS is prepared according to the Globally Harmonized System (GHS).